


CUSTOMIZE YOUR MFP WITH FLEXIBLE PART OPTIONS

Configurations & Options



SAMSUNG

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies, redefining the worlds of TVs, smartphones, wearable devices, tablets, cameras, digital appliances, printers, medical equipment, network systems and semiconductors. We are also leading in the Internet of Things space through, among others, our Digital Health and Smart Home initiatives. We employ 307,000 people across 84 countries. To discover more, please visit our official website at www.samsung.com and our official blog at news.samsung.com/global.

Copyright © 2016 Samsung Electronics Co., Ltd. All rights reserved. Samsung and Samsung Cloud Print are either trademarks or registered trademarks of Samsung Electronics Co., Ltd. Specifications and designs are subject to change without notice. Nonmetric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

Samsung Electronics Co., Ltd.

129 Samsung-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do 443-742, Korea

SAMSUNG

proXpress

Multifunction
C3060ND | C3060FR

Professional-quality
printing for you.
**Cost efficiency for
your business.**



SMART PRINTING.
BUSINESS INNOVATION.



INCREASE WORK PRODUCTIVITY WITH PROFESSIONAL **PRINT QUALITY AND COST EFFICIENCY**

Overview

Elevate your business with cost efficiency and professional printing

In today's competitive marketplace, businesses cannot afford devices that slow them down. Today's printers need to be cost-effective and ensure professional-grade print quality and high productivity for fast printing. A smart printing solution with exceptional performance and low maintenance cost is sought by every successful business.

Samsung's new ProXpress C3060 series provides businesses with the cost efficiency, professional print quality, and fast printing speed they need. The larger toner capacity reduces Total Cost of Ownership, and Samsung's IFS technology reduces power consumption. Businesses can also count on high-quality print and copy output with the finest details thanks to Samsung's ReCP technology. Samsung's ProXpress C3060 series ensures better productivity by cutting print times with exceptionally fast print speeds, and even allows businesses to expand their work range with support for a variety of thicker paper types. The C3060 series gives small and medium-sized enterprises the tools they need to compete at a higher level.

Samsung ProXpress :



C3060ND (30 ppm)



C3060FR (30 ppm)

Key benefits

Worry less about costs with money-saving technology

- Lower Total Cost of Ownership with larger toner capacity
- Reduce power consumption with Samsung's IFS technology

Print with professional-quality color and remarkable precision

- Enhanced graphic quality with Samsung's ReCP technology
- High-quality print and copy output with crisp details

Boost productivity with exceptionally fast printing

- Strong performance with Dual CPU (800MHz & 400MHz)
- Supports various types of thicker paper
- Supports XOA-Web for easy integration (C3060FR only)
- Equipped with PrinterOn

WORRY LESS ABOUT COSTS WITH MONEY-SAVING TECHNOLOGY

Lower Total Cost of Ownership with larger toner capacity

The high capacity toner cartridges yield 8K in mono and 5K in color, supporting businesses that have heavy print demand and cutting cartridge costs. Long-lasting consumable parts reduce maintenance costs significantly.



Larger
Toner capacity

Reduce power consumption with Samsung's IFS technology

Energy-efficient Instant Fusing System (IFS) technology shortens warm-up periods before print jobs. It minimizes Total Energy Consumption when the device is sleeping, warming up, and operating.



Lower
Power consumption

PRINT WITH PROFESSIONAL-QUALITY COLOR AND REMARKABLE PRECISION



Enhanced graphic quality with Samsung's ReCP technology

Paying attention to details is critical for professionals. Samsung's ReCP technology built into the Samsung ProXpress C3060 series ensures crisp details, making sure even the smallest printed text is legible. It also gives you clean text and image scans, reducing blurry patterns.



High-quality print and copy output with crisp details


Images require accurate color expression and precise details. With the Samsung ProXpress C3060 series, you can print images with the natural colors of the original image, including all the small details with a wider contrast range, and even complex blue prints with intricate details.



BOOST PRODUCTIVITY WITH EXCEPTIONALLY FAST PRINTING

Strong performance with Dual CPU

The Samsung ProXpress C3060 series is equipped with a Dual CPU optimized for printing. It boosts work productivity with remarkable print speed for heavy jobs, particularly when printing graphic images.



Dual CPU
Up to 30 ppm



Supports various types of thicker paper



Expand your range of productivity with the Samsung ProXpress C3060 series. With support for various types of thick paper up to 220g/m², you can print documents from office envelopes to professional certificates.



Supports XOA-Web for easy integration*

Get connected to printing solutions with the XOA-Web. The fast and easy integration of solutions will help your business run more efficiently and smoothly.



*Supports SL-C3060FR only

Equipped with PrinterOn

Print securely and efficiently from anywhere. Samsung's ProXpress C3060 series printers are equipped with PrinterOn, so if your business is already using it, you can easily add another device.



SAMSUNG MULTIFUNCTION PRINTER

proXpress C3060ND | C3060FR

Specifications

General	C3060ND	C3060FR
Standard Function	Print, Copy, Scan	Print, Copy, Scan, Fax
Value Added Function	One-touch Eco Mode, Direct USB	One-touch Eco Mode, Direct USB, XOA-Web
Processor	800MHz + 400MHz Dual CPU	
Operational Panel	4 line LCD	4.3" Touch Screen LCD
Memory Standard	512 MB	
Hard Disk Drive	Not Applicable	4 GB SD Card
Interface Standard	High-Speed USB 2.0 / USB Host / Ethernet 10/100/1000 Base-TX	
Interface Optional	IEEE 802.11b/g/n + Active NFC	
Power Consumption	- Printing: 500 W - Ready: 40 W - Sleep Mode: 1.4 W - TEC: 1.6 kWh	
Noise Level	- Printing: Less than 52 dBA - Copying: Less than 54 dBA - Ready: Less than 37 dBA	
Dimensions	420 x 452.5 x 476.8 mm (16.54" x 17.81" x 18.77")	469 x 452.5 x 504.3 mm (18.46" x 17.81" x 19.85")
Weight	24.62Kg (54.28 lb)	26.32Kg (58.03 lb)
Max. Monthly Duty Cycle	60,000 Pages	

Print	C3060ND	C3060FR
Speed Mono	Up to 30 ppm in A4 (31 ppm in Letter)	
Speed Color	Up to 30 ppm in A4 (31 ppm in Letter)	
First Print Out Time Mono	As fast as 9 sec (From Ready Mode)	
First Print Out Time Color	As fast as 10 sec (From Ready Mode)	
Resolution	Up to 9,600 x 600 dpi Effective Output (600 x 600 x 4 bit)	
Print Languages	PCL5Ce, PCL6, PS3, PDF V1.7, SPL-C (Samsung Printer Language Color)	
Duplex Print	Bulit-in	
Client OS Support	- Windows®: Windows 2012 / 10 / 7 / Vista® / XP / 2008R2 / 2008 / 2003 - Mac OS®: X 10.6 - 10.11 - Various Linux® - Unix®	
Direct Print Support	PDF, JPEG, TIFF, PRN, XPS	
Print Features	Automatic Double Sided Print, Direct Print, Booklet, N-UP, Overlay, Cover, Poster, Watermark, Skip Blank Pages	Automatic Double Sided Print, Direct Print, Secure Print, Proof Print, Store Print, Booklet, N-UP, Overlay, Cover, Poster, Watermark, Skip Blank Pages

Copy	C3060ND	C3060FR
Speed Mono	Up to 30 cpm in A4 (31 cpm in Letter)	
Speed Color	Up to 30 cpm in A4 (31 cpm in Letter)	
First Print Out Time Mono	As fast as 13 sec (Platen)	
First Print Out Time Color	As fast as 13 sec (Platen)	
Resolution Optical	600 x 600 dpi (Optical Upto 600 x 600 dpi depending on Original Type) / Printing: Up to 9600x600 dpi effective output (600 x 600 x 4 bit)	
Reduce / Enlarge Range	25 - 400% (ADF/Platen)	
Multi Copy	9,999 Pages	
Duplex Copy	Built-in	
Copy Feature	ID Copy, N-UP Copy, Book Copy, Watermark Copy, Collated Copy	

Scan	C3060ND	C3060FR
Speed Mono	- Lineart/Hartone: Approx. 18 ipm (@ 300 dpi) - Gray: Approx. 18 ipm (@ 300 dpi)	- Lineart/Hartone: Approx. 24 ipm (@ 300 dpi) - Gray: Approx. 24 ipm (@ 300 dpi)
Speed Color	Approx. 18 ipm (@ 300 dpi)	Approx. 24 ipm (@ 300 dpi)
Compatibility	Twain Standard, WIA Standard	
Method	Color CIS	
Resolution Optical	Up to 1,200 x 1,200 dpi	
Resolution Enhanced	Up to 4,800 x 4,800 dpi	
Scan Destinations	USB, Email, SMB, FTP, PC, WSD, Samsung Cloud	Scan to Shared Folder, USB, Email, SMB, FTP, PC, WSD, Samsung Cloud



Fax	C3060ND	C3060FR
Compatibility	Not Applicable	ITU-T G3
Modem Speed		33.6 kbps
Resolution		- Mono: Up to 300 x 300 dpi - Color: Up to 200 x 200 dpi
Compression Method		MH, MR, MMR, JBIG, JPEG
Memory		SD card
Auto Dial		Yes
Fax Feature		Multi-Send, Delayed Send, Secure Receive, Fax Forwarding

Paper Handling	C3060ND	C3060FR
Input Capacity Cassette	250 Sheets	
Input Capacity Maximum	1,400 Sheets (Std 250 + MP 50 + 2 x SCF 550)	
Input Capacity Multipurpose Tray	50 Sheets	
Input Capacity Other Options	550 Sheets	
Media Type Cassette	Plain Paper / Thin Paper / Thick Paper / Cardstock / Thicker Paper / Hole Punched / Pre-Printed / LetterHead / Recycled / Archive / Bond / Label / Envelope / Cotton / Colored / Glossy	
Media Type Multipurpose Tray	Plain Paper / Thin Paper / Thick Paper / Cardstock / Thicker Paper / Hole Punched / Pre-Printed / LetterHead / Recycled / Archive / Bond / Label / Envelope / Cotton / Colored / Glossy	
Media Type Other Options	Plain Paper / Thin Paper / Thick Paper / Cardstock / Hole Punched / LetterHead / Recycled / Archive / Bond	
Media Size Cassette	A4 / Letter / Legal / Oficio / Folio / JIS B5 / ISO B5 / Executive / A5 / Statement / A6 / Postcard / Envelope Monarch / Envelope No-10 / Envelope DL / Envelope C5 / Envelope C6 / Envelope No 9 / Custom [98 x 127 mm (3.86" x 5") - 216 x 356 mm (8.5" x 14")]	
Media Size Multipurpose Tray	A4 / Letter / Legal / Oficio / Folio / JIS B5 / ISO B5 / Executive / A5 / Statement / A6 / Index Card Stock / Postcard / Envelope Monarch / Envelope No-10 / Envelope DL / Envelope C5 / Envelope C6 / Envelope No 9 / Custom [76 x 127 mm (3" x 5") - 216 x 356 mm (8.5" x 14")]	
Media Size Other Options	A4 / Letter / Legal / Oficio / Folio / JIS B5 / ISO B5 / Executive / A5 / Statement / Custom [98 x 210 mm (3.86" x 8.3") - 216 x 356 mm (8.5" x 14")]	
Media Weights Cassette	Supported Weight: 60 - 220 g/m ² (16 - 59 lb), Thin Paper (60 - 69 g/m ²) / Plain Paper (70 - 90 g/m ²) / Thick Paper (91 - 105 g/m ²) / Bond Paper (105 - 120 g/m ²) / Cardstock (121 - 163 g/m ²) / Thicker Paper (164 - 220 g/m ²)	
Media Weights Multipurpose Tray	Supported Weight: 60 - 220 g/m ² (16 - 59 lb), Thin Paper (60 - 69 g/m ²) / Plain Paper (70 - 90 g/m ²) / Thick Paper (91 - 105 g/m ²) / Bond Paper (105 - 120 g/m ²) / Cardstock (121 - 163 g/m ²) / Thicker Paper: (164 - 220 g/m ²)	
Media Weights Other Options	Supported Weight: 60 - 163 g/m ² (16 - 43 lb), Thin Paper (60 - 69 g/m ²) / Plain Paper (70 - 90 g/m ²) / Thick Paper (91 - 105 g/m ²) / Bond Paper (105 - 120 g/m ²) / Cardstock: (121 - 163 g/m ²)	
Output Capacity	150-Sheet Face Down	
ADF Type	ADF	RADF
ADF Document Capacity	50 Sheets	

Options	C3060ND	C3060FR
	550 Sheets SCF, Wireless + NFC	

Consumable	C3060ND	C3060FR
Toner Capacity / Model Code	(K) High Toner Cartridge Yield: 8,000 Standard Pages (Ships with 4,000 Pages Starter Toner Cartridge) / CLT-K503L *Declared Yield Value in accordance with ISO/IEC 19798 (CMY) High Toner Cartridge Yield: 5,000 Standard Pages (Ships with 2,500 Pages Starter Toner Cartridge) / CLT-C503L, CLT-M503L, CLT-Y503L *Declared Yield Value in accordance with ISO/IEC 19798	
Waste Toner Container	(K) Approx. 20,000 Pages / (CMY) Approx. 5,000 Pages	

Solution	C3060ND	C3060FR
Device Management	Yes	Yes
Output Management	Not Applicable	Yes
Document Capture and Distribution	Not Applicable	Yes
Mobility	Yes	Yes